




DAS SÄGEBAND.

EVOTEC SCL[®]



BI-METAL BANDSAW BLADE

The high-performer for high-strength materials

WWW.WESPA-SAW.COM



EVOTEC SCL[®]

The high-performer for high-strength materials



Product group 466							
mm	Inch / tpi	4/6	3/4	2/3	1,4/2	1,1/1,4	0,7/0,9
27 x 0,90	1" x 0.035	■	■				
34 x 1,10	1 1/4" x 0.042	■	■	■			
41 x 1,30	1 1/2" x 0.050	■	■	■	■		
54 x 1,60	2" x 0.062		■	■	■	■	
67 x 1,60	2 5/8" x 0.062				■	■	■
80 x 1,60	3 1/8" x 0.062					■	■
Contact lengths in mm		50-150	80-200	130-400	220-600	400-800	800-2100

Extremely stressable high-performance bandsaw blade for sawing difficult to cut materials as well as highly heat-resistant special alloys.

Specially heat-resistant tooth tips of powder-metallurgical HSS offer a tool life advantage over conventional M42 bandsaw blades.



Bi-Metal

Product Features



Reinforced Profile Tooth
positive rake angle

M51

Areas of Application



Solid Material
large



Solid Material
small



Bundle
solid material

Product Advantages



Wear Resistance



Performance



Cost Reduction

MATERIAL GROUP

2

Stainless steel
Hardened steels
Heat resistant steel
Steel and non-ferrous alloys
Titanium and Titanium alloys